


w182 Pastille c2




Technical information

Physical	
Material	Lamp body: biopolyamide Table base/clamp: biopolyamide & steel Pin/bracket: biopolyamide Floor stand: steel
Optics	Reflector: ABS Diffuser: polycarbonate
IP rating	20
Protection class	II
LED	
Light source	COB LED (included)
Life time expectancy	L80 / 50,000 h
CRI Colour Rendering Index	96
Standard deviation of colour matching	3-step MacAdam
Replaceable by a professional	

The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The applicable General Terms & Conditions apply.

w182 Pastille

w182 Pastille c2




Article-specific information

Version	
Mounting	
LED Colour temperature (CCT) / Luminous flux	
Voltage / System power	
Efficacy	
Light control	
Net weight	
Packaging dimensions	
Gross weight	
Colour	
Soft white (NCS 1002Y50R)	
Graphite black (RAL 9011)	
Olive green (RAL 6003)	
Oxide red (RAL 3009)	

Accessories
Adapter suitable for Vitra AdHoc
Adapter suitable for Vitra Tyde


w182 Pastille b2




b2	
Base	
2700 K / 457 lm	
100–240 V / 7.3 W	
63 lm / W	
Dimmable	
1.8 kg	
L51.7 × W22.5 × H6.4 cm (0.007 m³)	
3.3 kg	
Art. No. / EAN code	
182B20250 / 7330492008103	
182B26003 / 7330492008097	
182B23009 / 7330492008080	

Art. No. / EAN code

w182 Pastille c1



w182 Pastille c2



Article-specific information

Version
Mounting
LED Colour temperature (CCT) / Luminous flux
Voltage / System power
Efficacy
Light control
Net weight
Packaging dimensions
Gross weight

c1
Clamp
2700 K / 457 lm
100–240 V / 7.3 W
63 lm / W
Dimmable
0.8 kg
L51.7 × W22.5 × H6.4 cm (0.007 m³)
2.3 kg

c2
Clamp
2700 K / 457 lm
100–240 V / 7.3 W
63 lm / W
Dimmable
0.8 kg
L51.7 × W22.5 × H6.4 cm (0.007 m³)
2.3 kg

Colour
Soft white (NCS 1002Y50R)
Graphite black (RAL 9011)
Olive green (RAL 6003)
Oxide red (RAL 3009)

Art. No. / EAN code
182C10250 / 7330492008226
182C19011 / 7330492008233
182C16003 / 7330492008219
182C13009 / 7330492008202


Art. No. / EAN code
182C20250 / 7330492008264
182C26003 / 7330492008257
182C23009 / 7330492008240

Accessories
Adapter suitable for Vitra AdHoc
Adapter suitable for Vitra Tyde


Art. No. / EAN code

Art. No. / EAN code

w182 Pastille p2



w182 Pastille f2



Article-specific information

Version
Mounting
LED Colour temperature (CCT) / Luminous flux
Voltage / System power
Efficacy
Light control
Net weight
Packaging dimensions
Gross weight

p2
Pin – Integrated (hole ø 20 mm)
2700 K / 457 lm
100–240 V / 7.3 W
63 lm / W
Dimmable
0.7 kg
L51.7 × W22.5 × H6.4 cm (0.007 m³)
2.2 kg

f2
Floor base
2700 K / 457 lm
100–240 V / 7.3 W
63 lm / W
Dimmable
3.4 kg
L75.0 × W32.5 × H5.0 cm (0.01 m³)
4.8 kg

Colour
Soft white (NCS 1002Y50R)
Graphite black (RAL 9011)
Olive green (RAL 6003)
Oxide red (RAL 3009)

Art. No. / EAN code
182P20250 / 7330492008387
182P26003 / 7330492008370
182P23009 / 7330492008363


Art. No. / EAN code
182F20250 / 7330492008349
182F26003 / 7330492008332
182F23009 / 7330492008325

Accessories
Adapter suitable for Vitra AdHoc
Adapter suitable for Vitra Tyde


Art. No. / EAN code
182-PVI01 / 7330492002460
182-PVI03 / 7330492002477

Art. No. / EAN code

w182 Pastille br1



w182 Pastille br2



Article-specific information

Version
Mounting
LED Colour temperature (CCT) / Luminous flux
Voltage / System power
Efficacy
Light control
Net weight
Packaging dimensions
Gross weight

br1
Wall bracket
2700 K / 457 lm
100–240 V / 7.3 W
63 lm / W
Dimmable
0.8 kg
L51.7 × W22.5 × H6.4 cm (0.007 m³)
2.3 kg

br2
Wall bracket
2700 K / 457 lm
100–240 V / 7.3 W
63 lm / W
Dimmable
0.8 kg
L51.7 × W22.5 × H6.4 cm (0.007 m³)
2.3 kg

Colour
Soft white (NCS 1002Y50R)
Graphite black (RAL 9011)
Olive green (RAL 6003)
Oxide red (RAL 3009)

Art. No. / EAN code
182BR19011 / 7330492008158
182BR13009 / 7330492008127

Art. No. / EAN code
182BR20250 / 7330492008189
182BR26003 / 7330492008172
182BR23009 / 7330492008165

Accessories
Adapter suitable for Vitra AdHoc
Adapter suitable for Vitra Tyde

Art. No. / EAN code

Art. No. / EAN code