

Profile BOX-M

Ref. A18001

NEW



IP20



- Compartment for driver and electrical components
- Easy maintenance
- Small dimensions

APPLICATION

- mounting of power supplies and electronic components


MOUNTING

- to the surface, using a dedicated mounting track and properly selected screws

ADDITIONAL INFORMATION

- the power supply can be secured inside the profile using dedicated accessories
- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS


Material	aluminum
Possible fixture IP	20
Profile cross-section	rectangular
Width	55 mm
Height	30 mm
Dedicated space for power supply	yes
Building type	Commercial, Retail, Entertainment/ Arts, HoReCa object
Facility zone	office, conference room, communication routes and corridors, parking and garage
Easy assembly and disassembly by snapping in and out	yes
Wire out back of extrusion	yes

Color	Length	Ref
■ silver anodized	1000 mm	A18001A_1
	2005 mm	A18001A_2
	3010 mm	A18001A_3
□ white lacquered	1000 mm	A18001L100D_1
	2005 mm	A18001L100D_2
	3010 mm	A18001L100D_3
■ black anodized	1000 mm	A18001A07_1
	2005 mm	A18001A07_2
	3010 mm	A18001A07_3

Profile BOX-M

Ref. A18001

SAMPLE PROJECTS




RELATED ACCESSORIES > END CAPS

NAME	MATERIAL	COLOR	REF.
 	ABS	 black	C24487C07
		 silver	C24487L01
		 white	C24487C10

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR PROFILES



RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER



RELATED ACCESSORIES > ELECTRONICS > CASAMBI CONTROL SYSTEM



Casambi CBU-ASD
E62147



Casambi CBU-PWM4
E62148

RELATED ACCESSORIES > ELECTRONICS > CONTROLLERS



RGB+CCT, Wlightbox
E60235

RELATED ACCESSORIES > ELECTRONICS > POWER SUPPLIES



KGP LV30W24CG 24V
E60503-030B-24



KGP LV60W24CG 24V
E60507-060B-24



KGP LV100W24CG 24V
E60511-100B-24



KGP LV150W24CG 24V
E60515-150B-24



KGP LV250W24CG 24V
E60519-250B-24



KGP LV30W24CG DALI 24V
E60504-030D-24



KGP LV60W24CG DALI 24V
E60508-060D-24



KGP LV100W24CG DALI 24V
E60512-100D-24



KGP LV150W24CG DALI 24V
E60516-150D-24



KGP LV250W24CG DALI 24V
E60520-250D-24

Profile BOX-M

Ref. A18001



**KGP XSV30W24 DALI
24V**
E60505-030D-24-V



**KGP XSV100W24 DALI
24V**
E60513-100D-24-V



**KGP XSV160W24 DALI
24V**
E60517-160D-24-V



**KGP XSV240W24 DALI
24V**
E60521-250D-24-V



KGP LV30W24 30W 24V
E60523-030B-24